Index to Volume 26, 1989

Abbott TD_x serum cortisol assay evaluation: short report **294**

Abdominal surgery, serum protein changes after **49**

ABDURRAHMAN MB, EL SHEIKH OK, ELDIRISSY ATH, AL KAHTANI WM and LAMBOURNE A: Proteinuria selectivity index in Saudi children with nephrotic syndrome **492**

ABE F, YANO M, MINAMI Y, UEDA T, CHIKAKIYO H, MIYAMOTO N, SHIRAKAWA N and SHIMA K: Alterations in fructosamine and glycated albumin levels during childhood **328**

N-acetyl cysteine infusion, contamination of specimen, cause of spurious ketonaemia and hyperglycaemia: short report **207**

Acromegaly with misleading normal plasma insulin-like growth factor 1: short report **102**

ACTH
- immunoradiometric assay, assessment of potency of different standards **96**
- measurement, advantages of immunoradiometric assay over radioimmunoassay **500**

ADAM ME *see* ATABANI GS *et al.*

ADAM T: Radioiodination for therapy **244**

ADAMEK KJ *see* REILLY CP *et al.*

ADEWOYE HO *see* OLUKOGA AO *et al.*

ADNAN H *see* MAGUIRE GA and ADNAN H

AGUZZI F, PETRINI C and GASPARRO C: Serum protein electrophoresis: Italian survey 1986 **249**

AHMED MAM *see* AL-ALI AK *et al.*

AL-ALI AK, AHMED MAM, AL-IDRISSI H, AL-SIBAI MH, AL-MUTAIRY AR and AL-AWAMI M: Effects of glucose-6-phosphate dehydrogenase deficiency upon sickle cell anaemia **477**

AL-AWAMI M *see* AL-ALI AK *et al.*

AL-IDRISSI H *see* AL-ALI AK *et al.*

AL KAHTANI WM *see* ABDURRAHMAN MB *et al.*

AL-MUTAIRY AR *see* AL-ALI AK *et al.*

AL-SIBAI MH *see* AL-ALI AK *et al.*

Albumin
- and detergent effect on reduction of nitro-blue tetrazolium by 1-deoxy-1-morpholinofructose **496**
- glycated, and fructosamine levels in childhood **328**
- plasma and haemodilution, problem of interpretation in sequential studies 132: correspondence **460**
- serum, as test for hypothyroidism **233**
- solutions glycated *in vitro* for calibration of fructosamine assay: short report **556**
- urine, determination, effects of sample preparation and storage: short report **560**
- rapid and sensitive immunosorbent assay **427**

Alkaline phosphatase
- high molecular weight, in human serum, immunoprecipitation assay **151**
- plasma, activity in preterm infants, postnatal and gestational age, and interpretation: short report **193**

Alpha-1-antitrypsin in liver disease **122**

ALSAYED-OMAR O *see* HOSKIN PJ *et al.*

Amerlite free T4 assay, critical assessment **517**

Ames Award-Winning Lecture, 1988. 18-Hydroxycorticosterone as a marker for primary hyperaldosteronism **227**

Aminotransferase assay, pyruvate interference, importance of close control of reagent pH: short report **447**

Ammonia assay, enzymatic, probable cefotaxime interference: a cautionary note: short report **195**: correspondence **461, 462**

Amylase
- elevated serum, differentiation, and detection of macroamylasaemia, comparison of methods **422**
- pancreatic, human, with monoclonal antibody, radioimmunoassay **416**
- total, and pancreatic isoamylase in serum and urine, considerations from data on biological variation **335**

Analox GM 7 Analyser with diluted glucose oxidase reagents for measuring plasma glucose: technical note **453**

Analytical goals for imprecision: correspondence **458**

Angiotensin converting enzyme, serum
- intra- and inter-individual variation, clinical implications: short report **201**
- in sarcoidosis, evaluation: review article **13**

Antibody interference in two-site immunometric assay for thyrotrophin **346**

Apolipoproteins A-1 and B, routine plasma measurement: short report **374**

Apotryptophanase assay, modified, in determination of plasma pyridoxal levels **158**

Arginase, human erythrocyte, purification and properties **547**

ASHBY JP, NEWMAN DJ and RINSLER MG: Is intact PTH a sensitive biochemical indicator of deranged calcium homeostasis in vitamin D deficiency? **324**

Aspartate aminotransferase
- activity after myocardial infarction, decision thresholds and likelihood ratios, computer method **533**
- serum, persistently raised, investigation **538**

ASTD *see* Automated sequential trace enrichment of diasylates

ATABANI GS, SAEED BO, EL MAHDI EM-A, ADAM ME and HASSAN DA: Glycated haemoglobin and other biochemical parameters in Sudanese diabetics **332**

Atrial natriuretic factor: review **115**
- plasma levels, influence of age, posture, and intra-individual variation **481**

Automated sequential trace enrichment of diasylates and high-pressure liquid chromatography for automated method for analysis of urinary free catecholamines **361**

AWAMI M AL- *see* AL-ALI AK *et al.*

AYERS GJ, BALDWIN AJ, FOWLER AM, GOUDIE JH and BURNETT D: Theophylline assay on Kodak Ektachem

AYERS (cont.)
DTSC—performance and interference by structurally-related compounds and salicylate **268**
CLARK J and BURNETT D: An evaluation of the Abbott TD_x serum cortisol assay: short report **294**

BALDWIN AJ *see* AYERS GJ *et al.*
BALL AJ *see* SHAKESPEARE PG *et al.*
BARON DN: Standardization of the oral glucose tolerance test: correspondence **210**
BARRON N *see* JOHN R *et al.*
BARTELS PC: Some effects on light scattering intensity and red blood cell size histograms due to sphering: correspondence reply **458**
HELLEMAN PW and SOONS JBJ: Interference of plasma fluorophores on the red blood cell zinc protoporphyrin: haemoglobin ratio as determined on a haematofluorimeter **368**
Bathophenanthroline, systematic evaluation in ICSH-based method for measurement of serum iron **144**
BAYNES RD *see* DERMAN DP *et al.*
BEASLEY R *see* SIEBERS RWL *et al.*
BEASTALL GH *see* WILSON R *et al.*
BELL MA *see* McCONWAY MG *et al.*
BELLINGHAM AJ *see* HAMMER MR *et al.*
BENRAD THJ *see* TAN ACITL *et al.*
Benzethonium chloride method for urine protein, positive and negative interference: short report **104**
BERG JD *see* MOODY AP *et al.*
BERGQVIST Y *see* ECKERBOM S and BERGQVIST Y
Beta$_2$ adrenergic agonists, and erythrocyte sodium transport **444**
BETTS P *see* EGAN SM *et al.*
BEZU JSM VAN *see* VAN BEZU JSM
BHAYANA V *see* PAPANASTASIOU-DIAMANDIS A *et al.*
BICKNELL EJ and VAN'T HOFF W: A comparison of two intact-molecule parathyroid hormone assays: short report **376**
BIDDULPH L *see* WRIGHT DJ *et al.*
BINDOFF LA *see* TURNBULL DM and BINDOFF LA
BIRD R *see* STUDDY PR and BIRD R
BLIGHT LF, JUDD SJ and WHITE GH: Relative diagnostic value of serum non-SHBG-bound testosterone, free androgen index and free testosterone in the assessment of mild to moderate hirsutism **311**
Bloodspot androstenedione assay for home-monitoring steroid replacement therapy in congenital adrenal hyperplasia **262**
BOAG DE *see* DAVISON DF *et al.*
WILLIAMSON J *et al.*
BONTE HA, VERMES I and VEER GVDS: Analytical and clinical evaluation of three sensitive thyrotropin-assays **508**
Book Reviews:
CHALLAND GS and HOLLAND MR editors: *A guide to gas-liquid and high performance liquid chromatography* 1987 **108**
CURRY AS: *Poison detection in human organs*, 4th edition 1988 **108**
DEVLIN TM and WILEY J editors: *Textbook of biochemistry with clinical correlations*, 2nd edition 1986 **308**
HOLTON JB editor: *The inherited metabolic diseases* 1987 **307**
KEYSER JW and WILEY J: *Human plasma proteins: their investigation in pathological conditions*, 2nd edition 1987 **566**
REYNOLDS DJ and FREEMAN HGM: *Aids to clinical chemistry* 1986 **308**
YAGI K editor: *Medical application of liposomes* 1987 **307**
BORLAND WW, FERGUSON JC and DRYBURGH FJ: A fast automated method for measuring serum and urine citrate: short report **286**
BOSOMWORTH MP and PEARCE CJ: Lack of effect of overnight storage of heparinised blood at 4°C on plasma phosphate concentration: short report **300**
BOTHWELL TH *see* DERMAN DP *et al.*
BOURDOUX : A simple method for determination of plasma thiocyanate: correspondence **303**
Bronchogenic carcinoma tissue, vaccenic acid levels **125**
BROUGHTON PMG and WORTHINGTON DJ: Laboratories, respond differently to the same clinical request **119**
BROWN NM *see* OLUBUYIDE IO *et al.*
BROWNING MCK: Analytical goals for quantities used to assess thyrometabolic status: review article 1: correspondence reply **459**
see also FOGARTY Y *et al.*
BUCKLEY BM *see* MOODY AP *et al.*
Budget management, National Health Service pathology laboratories: personal view **309**
BULLOCK DG, MACKENZIE F and RATCLIFFE JG: Quality assurance of hormone analyses: correspondence **209**
BURGESS CD *see* SIEBERS RWL *et al.*
BURNETT D *see* AYERS GJ *et al.*
BYRON K *see* DEAM D *et al.*

Caffeine and theophyllin in human serum, non-extraction HPLC method for simultaneous measurement **527**
Calcium homeostasis, deranged, in vitamin D deficiency, intact PTH as sensitive indicator **324**
CALDWELL R and CHALLENGER H: A capillary column gas-chromatographic method for the identification of drugs of abuse in urine samples **430**
Cancer markers, new CA 199, CA 125 and CA 15–3: review article **379**
Capillary blood improved sample collection technique on filter paper for determination of glycated haemoglobin **148**
Carboxyhaemoglobin
improved second-derivative spectrophotometric determination: short report **451**
measurement, use of oxidation or reduction; correspondence **208**
Catecholamines
free, urinary, analysis using ASTED and HPLC **361**
and neuroblastoma: correspondence **456**
Cefotaxime interference, probable, in enzymatic ammonia assay, cautionary note: short report **195**: correspondence **461, 462**
CHALLENGER H *see* CALDWELL R and CHALLENGER H
CHANEAC M *see* SACHS C *et al.*
CHAPMAN RS *see* McCONWAY MG *et al.*
CHIKAKIYO H *see* ABE F *et al.*
Cholesterol stability in whole blood: short report **197**

Chondroitinase ABC to characterise urinary glycosaminoglycans, pitfalls in use of: short report **298**
Citrate, urine, and serum, fast automated method for measuring: short report **286**
CLAEYS G *see* VAN DEUN A *et al.*
CLARK J *see* AYERS GJ *et al.*
CLARKE KC *see* McCANCE DR *et al.*
CLAYTON BE *see* FAIRRIS GM *et al.*
COBBAERT C *see* VAN DEUN A *et al.*
COLE D *see* STEWART PM *et al.*
COLLINS FJ *see* LAWSON N *et al.*
Computer program
to determine diagnostic decision thresholds and likelihood ratios illustrated with aspartate aminotransferase activities after myocardial infarction **533**
for rapid generation of receiver operating characteristic curves, and likelihood ratios in evaluation of diagnostic tests: correspondence **210**
Congenital adrenal hyperplasia, bloodspot androstenedione assay for home-monitoring steroid replacement therapy **262**
CONNELLY MS *see* DAWSON CM *et al.*
COOPER JDC *see* TURNELL DC *et al.*
COOPER JDH *see* GREEN B *et al.*
Cortisol, serum assay evaluation of TD_x: short report **294**
COYLE SJ, GOWLAND E and TAYLOR AJ: Observer variance in the reporting of faecal occult blood results using the Okokit II™ method: short report **296**
CRAMB R *see* THOMPSON JM *et al.*
CRANE J *see* SIEBERS RWL *et al.*
C-reactive protein value in diagnosis of intestinal perforation in typhoid fever **246**
Creatine kinase, serum, slope measurement in myocardial infarction: short report **558**
Creatinine, urine, and serum, and creatinine clearance, biological variation: correspondence **302, 565**
CROFTON PM: Positive and negative interference in the benzethonium chloride method for urine protein: short report **104**
CROTHERS DC and LORD A: Faecal porphyrin screening: correspondence **455**
CUMMINGS ST and FRASER CG: Total amylase and pancreatic isoamylase in serum and urine: considerations from data on biological variation **335**
Cystine, serum, assay by protein precipitation and chromatography should be abandoned: correspondence **305**
Cytosolic protein-tyrosine kinase activities, various rat tissues **164**

D'SOUZA T *see* HANCOCK MR *et al.*
YAJNIK CS *et al.*
Dapsone therapy, erythrocyte glutathione concentration as a measure of oxidant stress: short report **199**
DALTON RN: Probable cefotaxime interference in enzymatic ammonia assay: correspondence **461**
see also SCHNEIDER JA and DALTON RN
DANDONA P *see* YAJNIK CS *et al.*
DAVIDSON DF: Simultaneous assay for urinary 4-hydroxy-3-methoxy-mandelic acid, 5-hydroxyindoleacetic acid and homovanillic acid by isocratic HPLC with electrochemical detection **137**
WILLIAMSON J and BOAG DE: Pyruvate interference in aminotransferase assay—the importance of close control of reagent pH: short report **447**
see also WILLIAMSON J *et al.*
DAVISON B *see* READER SCJ *et al.*
DAWNAY A *see* LAMB E and DAWNAY A
DAWSON CM, CONNELLY MS, KENNEDY HJ, HOWE GD and TICKNER TR: Investigation of a persistently raised serum AST **538**
see also RAINBOW SJ *et al.*
DE VRIES PJMJ *see* KOUW PM *et al.*
DEACON AC: Faecal porphyrin screening: correspondence reply **455**
DEAM D, BYRON K and RATNAIKE S: Alpha-1-antitrypsin in liver disease **122**
DECHAUX M *see* SACHS C *et al.*
DENNEY RC *see* PALLANCA JE *et al.*
1-Deoxy-1-morpholinofructose, in reduction of nitroblue tetrazolium, effect of albumin and detergent **496**
DER HEIJDEN EAP VAN *see* VAN DER HEIJDEN EAP
DERMAN DP, GREEN A, BOTHWELL TH, GRAHAM B, McNAMARA L, MacPHAIL AP and BAYNES RD: A systematic evaluation of bathophenanthroline, ferrozine and ferene in an ICSH-based method for the measurement of serum iron **144**
DEUN A VAN *see* VAN DEUN A
Diabetes, blood glucose analysis, accuracy of Reflotron analyser: short report **544**
control, short-term, glycated fibrinogen as index **58**
erythrocyte and plasma magnesium status, Nigeria **74**
glycated haemoglobin and other biochemical parameters, Sudan **332**
Diagnostic tests, evaluation, computer program for rapid generation of receiver operating characteristic curves, and likelihood ratios: correspondence **210**
DIAMANDIS A PAPANASTASIOU- *see* PAPANASTASIOU-DIAMANDIS A
DIAMANDIS EP *see* Papanastasiou-Diamandis A *et al.*
DIMITROVA S *see* RAO A *et al.*
D-isocitrate in human urine, automated enzymic assay **78**
DOBSON SH, GIBSON S and WHITE A: Assessment of the potency of different standards in the immunoradiometric assay of ACTH **96**
DODD HEJ *see* MUIRHEAD RA and DODD HEJ
Drugs of abuse
identification in urine samples by gas-chromatography capillary column **430**
in urine, evaluation of six methods for detection **172**
see also Opiates
assay, desirable performance standards: review article **220**
DRYBURGH FJ *see* BORLAND WW *et al.*
DUFFY MJ: New cancer markers: review article **379**
Dynospheres® and Kemtek 3300, for automated solid-phase radioimmunoassays for prolactin, luteinising hormone and follicle-stimulating hormone: short report **292**

ECKERBOM S and BERGQVIST Y: Improved sample collection technique for capillary blood on filter paper for determination of glycated haemoglobin **148**

EDWARDS CRW *see* STEWART PM *et al.*

EDWARDS P, LIU PKS and ROSE GA: Determination of plasma pyridoxal phosphate levels using a modified apotryptophanase assay **158**

EGAN SM, BETTS P, THOMSON S, WALLACE AM and WOOD PJ: A bloodspot androstenedione assay suitable for home-monitoring of steroid replacement therapy in congenital adrenal hyperplasia **262**

EL MAHDI EM-A *see* ATABANI GS *et al.*

EL SHEIKH OK *see* ABDURRAHMAN MB *et al.*

ELDER GH *see* WALTERS EG *et al.*

Electroendosmosis, unistep bottles containing haemolysing reagent for HbA_1 measurement: short report **203**

ELIDRISSY ATH *see* ABDURRAHMAN MB *et al.*

EMMETT C *see* THOMPSON JM *et al.*

Enzyme immunoassay of lactoferrin, newborn term infants, reference values and influence of diet **407**

Enzymes, liver serum levels, effects of body mass and other factors **393**

ERASMUS RT *see* OLUKOGA AO *et al.*

Erythrocyte
- arginase, human, purification and properties **547**
- sodium transport, and $beta_2$ adrenergic agonists **444**

Ethanol intake, acute effect on plasma osteocalcin concentration: short report **563**

EVANS AJ and WOOD PJ: Development of an assay for human growth hormone in urine using commercially available reagents **353**

Faecal occult blood results using Okokit II™ method, observer variance in reporting: short report **296**

FAIRRIS GM, LLOYD B, HINKS L, PERKINS PJ and CLAYTON BE: The effect of supplementation with selenium and vitamin E in psoriasis **83**

FELL GS *see* TAGGART DP *et al.*

Femoral neck fracture, osteocalcin changes after **481**

Ferene, systematic evaluation in ICSH-based method for measurement of serum iron **144**

FERGUSSON JC *see* BORLAND WW *et al.*

Ferrozine, systematic evaluation in ICSH-based method for measurement of serum iron **144**

Fibrinogen, glycated, new index of short-term diabetic control **58**

FLATT A *see* SIEBERS RWL *et al.*

FLECK A: Reduction of neonatal blood eliminates the error induced by oxygen saturation in the spectrophotometric measurement of carboxyhaemoglobin: correspondence **208**

Fluoroimmunoassay of total thyroxine in serum **238**

FLYNN MD *see* HAMMER MR *et al.*

FOGARTY Y, FRASER CG and BROWNING MCK: Intra- and inter-individual variation of serum angiotensin converting enzyme, clinical implications: short report **201**

FOOTE JW: Zinc absorption in haemodialysis patients: correspondence reply **456**

FORD RP: Essential data derived from biological variation for establishment and use of lipid analyses **281**

FOWLER AM *see* AYERS GJ *et al.*

FRASER CG *see* CUMMINGS ST and FRASER CG
FOGARTY Y *et al.*
GOWANS EMS and FRASER CG
STEWART MJ and FRASER CG

FRASER WD *see* TAGGART DP *et al.*

Fructosamine
- assay calibration using albumin solutions glycated *in vitro*: short report **556**
- and glycated albumin levels in childhood **328**
- serum in uraemia, myeloma and acute inflammatory disorders **63**

Fructose assays, is freeze-dried serum suitable for interlaboratory standardisation: correspondence **304**

FUJITA C, KASAI C, KOSUGE H, OGATA K, OSHIMA I and SHIMA K: Radioimmunoassay of human pancreatic amylase with monoclonal antibody **416**

GALBRAITH LV *see* PELLAR TG *et al.*

GAMA R, LABIB M, TEALE JD and MARKS V: Acromegaly with a misleading normal plasma insulin-like growth factor 1: short report **102**
- and MARKS V: The reduction of peripheral insulin concentrations in obese subjects following a hypocaloric diet: reduced pancreatic secretion or increased hepatic extraction? **388**
- *see also* LABIB M *et al.*

Gas-chromatography capillary column for identification of drugs of abuse in urine samples **430**

GASPARRO C *see* AGUZZI F *et al.*

GEENEN B *see* POPP-SNIJDERS C *et al.*

GIBSON S, POLLOCK A, LITTLEY M, SHALET S and WHITE A: Advantages of IRMA over RIA in the measurement of ACTH **500**
- *see also* DOBSON SH *et al.*

GILES PD, HEATH JP and WROE SJ: Oligoclonal bands and the IgG index in multiple sclerosis: uses and limitations **317**

GINDAL B *see* ISMAIL AAA *et al.*

Glucagon-like peptide-1 (7–36) amide identification, rat brain **169**

Glucose
- blood analyses, in diabetes, accuracy of Reflotron analyser: short report **544**
- oxidase reagents, diluted, adapted for use with Analox GM 7 Analyser for measuring plasma glucose: technical note **453**
- 6-phosphate dehydrogenase deficiency, effects upon sickle cell anaemia **477**
- tolerance test, oral, standardization: correspondence **210**
  - 75 g oral, measured by immunoradiometric assay, normal growth hormone response: short report **205**

Glycosaminoglycans, urinary, pitfalls in use of chondroitinase ABC to characterise: short report **298**

GOODE HF, KELLEHER J and WALKER BE: Zinc concentrations in pure populations of peripheral blood neutrophils, lymphocytes and monocytes **89**

GOUDIE JH *see* AYERS GJ *et al.*

GOWANS EMS and FRASER CG: Biological variation of serum and urine creatinine and creatinine clearance: correspondence reply **302, 565**

GOWLAND E *see* COYLE SJ *et al.*

GRAHAM B *see* DERMAN DP *et al.*

GREEN A *see* DERMAN DP *et al.*

GREEN B, COOPER JDH and TURNELL DC: An automated method for the analysis of urinary free catecholamines using ASTED and high-pressure liquid chromatography **361**

see also TURNELL DC *et al.*
GRONER W *see* TYCKO DH *et al.*
Growth hormone response, normal, to 75 g oral glucose tolerance test measured by immunoradiometric assay: short report **205**
GUNN IR: Biological variation of serum and urine creatinine and creatinine clearance: correspondence **302**
GUPTA RN: Neuroblastoma and catecholamines: correspondence **456**

Haematofluorimeter in determination of red blood cell zinc protoporphyrin: haemoglobin ratio **368**
Haemodialysis, zinc absorption: correspondence **455**
Haemodilution, and plasma albumin, problem of interpretation in sequential studies **132**: correspondence **460**
Haemoglobin
glycated determination, capillary blood improved sample collection technique on filter paper **148**
measurement by electro-endosmosis, unistep bottles containing haemolysing reagent for: short report **203**
and other biochemical parameters in Sudanese diabetics **332**
HAMMER MR, JOHN PN, FLYNN MD, BELLINGHAM AJ and LESLIE RDG: Glycated fibrinogen: a new index of short-term diabetic control **58**
HAMMOND EM *see* WORTHINGTON DJ and HAMMOND EM
HANCOCK MR, D'SOUZA T, KNAPP ML and MAYNE PD: Pitfalls in the use of chondroitinase ABC to characterise urinary glycosaminoglycans: short report **298**
HANKS GW *see* HOSKIN PJ *et al.*
HASSAN DA *see* ATABANI GS *et al.*
HEATH JP *see* GILES PD *et al.*
HEIJDEN EAP VAN DER *see* VAN DER HEIJDEN EAP
HELLEMAN PW *see* BARTELS PC *et al.*
HENDERSON AR *see* LEUNG FY and HENDERSON AR PELLAR TG *et al.*
HENLEY R *see* JOHN R *et al.*
Heparinised syringes, effect on biochemical parameters of blood collected into: technical note **106**
HESTER J, SHEPHARD MDS, WALMSLEY RN and WHITE GH: Fasting specimens not required for routine measurement of plasma apolipoproteins A-I and B: short report **374**
HEYWORTH R *see* SIMPSON D *et al.*
HIGGINSON J *see* OLUBUYIDE IO *et al.*
High-pressure liquid chromatography
and ASTED for automated method for analysis of urinary free catecholamines **361**
isocratic, in simultaneous assay for urinary 4-hydroxy-3-methyoxy-mandelic acid, 5-hydroxyindoleactic acid, and homovanillic acid with electrochemical detection **137**
non-extraction method for simultaneous measurement of theophylline and caffeine in human serum **527**
HILL RP: Is freeze-dried serum suitable for inter-laboratory standardisation of fructose assays?: correspondence reply **305**
HINKS L *see* FAIRRIS GM *et al.*
HIROTA M *see* YOSHIMOTO S *et al.*
Hirsuitism, assessment, free and bound hormones **311**
Hirsutism and salivary free testosterone **522**
HMMA urinary excretion in children **44**
HOFF W VAN'T *see* VAN'T HOFF W
Homovanillic acid, 4-hydroxy-3-methoxy-mandelic acid, and 5-hydroxyindoleacetic acid, urinary, simultaneous assay by isocratic HPLC with electro-chemical detection **137**
Hormones
analyses, quality assurance: correspondence **209**
free and bound in hirsutism assessment **311**
HOSKIN PJ, ALSAYED-OMAR O, HANKS GW, JOHNSTON A and TURNER P: The influence of blood sample preparation on measured levels of morphine and its major metabolites **182**
HOSKING DJ *see* THOMPSON SP *et al.*
HOWE GD *see* DAWSON CM *et al.*
Human growth hormone in urine, development of assay using commercially available reagents **353**
HUSBAND D *see* LAWSON N *et al.*
HUTCHESSON ACJ: A computer program for rapid generation of receiver operating characteristic curves and likelihood ratios in the evaluation of diagnostic tests: correspondence **210**
HUTCHISON AS *see* SMITH LA *et al.*
HUTTON P *see* THOMPSON JM *et al.*
5-Hydroxyindoleacetic acid, homovanillic acid, and 4-hydroxy-3-methoxy-mandelic acid, urinary, simultaneous assay by isocratic HPLC with electro-chemical detection **137**
4-Hydroxy-3-methoxy-mandelic acid
5-hydroxyindole-acetic acid, and homovanillic acid, urinary, simultaneous assay by isocratic HPLC with electro-chemical detection **137**
urinary excrertion in children **44**
18-Hydroxycorticosterone as marker for primary hyperaldosteronism: Ames Award-Winning Lecture 1988 **227**
Hyperlipoproteinaemia, type III, manganese-heparin precipitation of very low-density lipoprotein: short report **289**
Hypothyroidism, serum albumin and specificity of free tri-iodothyronine as test for **233**

IDRISSI H AL- *see* AL ALI AK *et al.*
IKEMOTO M, TABATA M, MURACHI T and TOTANI M: Purification and properties of human erythrocyte arginase **547**
Immunoassay, replication, and need for computer programme **26**
Immunoglobulin G index and oligoclonal bands in multiple sclerosis, uses and limitations **317**
Immunometric assay, two-site, for thyrotrophin, antibody interference **346**
Immunoprecipitation assay for high molecular weight alkaline phosphatase in human serum **151**
Immunoradiometric assay
advantages over radioimmunoassay in ACTH measurement **500**
of ACTH, assessment of potency of different standards **96**
normal growth hormone response to 75 g oral glucose tolerance test measured by: short report **205**
Immunoreactive trypsin serum in tropical pancreatic diabetes syndrome **69**

Immunosorbent assay, rapid and sensitive, for urinary albumin **427**
Imprecision, analytical goals: correspondence **458**
Infection, effect on plasma lactoferrin levels, newborn preterm infants **412**
Inflammatory disorders, acute, serum fructosamine **63**
Insulin
-like growth factor 1, misleading normal plasma, and acromegaly: short report **102**
secretion and hepatic extraction in obesity **388**
Interpretation, quality control, possibility, necessity or threat: personal view **111**
Intestinal perforation in typhoid fever, C-reactive protein value in diagnosis **246**
Ion selective electrode analysers compared for blood potassium **274**
Ionised calcium analysers, anomalies in pH 7·40: correction **542**
Iron, serum, measurement, systematic evaluation of bathophenanthroline, ferrozine and ferene in ICSH-based method **144**
ISMAIL AAA, WALKER PL, MACFAUL R and GINDAL B: Diagnostic value of serum testosterone measurement in infancy: two case reports **259**

JACKSON JM, KHAWAJA HT, TALBOT ST and LEE HA: Correction for haemodilutional changes to plasma albumin concentration: correspondence **460**
JAMES VHT *see* LAPWORTH R *et al.*
JARVIE DR *see* SIMPSON D *et al.*
JENKINS C *see* WILSON R *et al.*
JESENOVEC N *see* OSREDKAR J *et al.*
JOHN PN *see* HAMMER MR *et al.*
JOHN R, HENLEY R and BARRON N: Antibody interference in a two-site immunometric assay for thyrotrophin **346**
JOHNSON JK: Quality control of interpretation-possibility, necessity or threat: correspondence **459**
JOHNSON PJ: Role of the standard 'liver function tests' in current clinical practice: review article **463**
JOHNSON RN: Lactic acidosis revisited: personal view **113**
JOHNSTON A *see* HOSKIN PJ *et al.*
JUDD SJ *see* BLIGHT LF *et al.*

KAHTANI WM AL *see* ABDURRAHMAN MB *et al.*
KAMP GJ VAN *see* VAN KAMP GJ
KANITKAR SV *see* YAJNIK CS *et al.*
KARABUS CD *see* NICHOLSON NA *et al.*
KASAI C *see* FUJITA C *et al.*
KATRAK A *see* YAJNIK CS *et al.*
KELLEHER J *see* GOODE HF *et al.*
Kemtek 3300 and Dynospheres[R], for automated solid-phase radioimmunoassays for prolactin, luteinising hormone and follicle-stimulating hormone: short report **292**
KENNEDY HJ *see* DAWSON CM *et al.*
KENNEDY L *see* McCANCE DR *et al.*
KHAWAJA HT *see* JACKSON JM *et al.*
KINDERMANS C *see* SACHS C *et al.*
KIRK JM: Probable cefotaxime interference in enzymatic ammonia assay—a cautionary note: short report **195**: correspondence reply **461**
and WESTWOOD A: Interpretation of sweat sodium results—the effect of patient age **38**
KLEIN M *see* NICHOLSON NA *et al.*
KLOPPENBORG PWC *see* TAN ACITL *et al.*
KNAPP ML *see* HANCOCK MR *et al.*
KOBAYASHI T, NAKAMURA S-I and YAMAMURA H: Cytosolic protein-tyrosine kinase activities in various rat tissues **164**
KOCIJANČIČ A *see* OSREDKAR J *et al.*
KONINGS CH, KÜPPER AJF and VERHEUGT FWA: Comparison of two latex agglutination test kits for serum myoglobin in the exclusion of acute myocardial infarction **254**
KONINGS CH *see* KOUW PM *et al.*
KOSUGE H *see* FUJITA C *et al.*
KOUW PM, KONINGS CH, DE VRIES PJMJ and VD MEULEN J: Zinc absorption in haemodialysis patients: correspondence **455**
KOVAN IZ and MAYNE PD: Postnatal and gestational age and the interpretation of plasma alkaline phosphatase activity in preterm infants: short report **193**
KÜPPER AJF *see* KONINGS CH *et al.*

LABIB M, RANGANATH L, SOUTHGATE J, GAMA R, TEALE D and MARKS V: Acute effect of ethanol intake on plasma osteocalcin concentration: short report **563**
see also GAMA R *et al.*
Laboratories, different responses to same clinical request **119**
Lactic acidosis revisited: personal view **113**
Lactoferrin
enzyme immunoassay, newborn term infants, reference values and influence of diet **407**
plasma levels, newborn preterm infants, effect of infection **412**
LAMB E and DAWNAY A: Effects of sample preparation and storage on urine albumin determination: short report **560**
LAMBERT A *see* READER SCH *et al.*
LAMBOURNE A *see* ABDURRAHMAN MB *et al.*
LANGTON SR *see* O'LEARY TD and LANGTON SR
LAPWORTH R, SHORT F and JAMES VHT: 18-Hydroxycorticosterone as a marker for primary hyperaldosteronism: Ames Award-Winning Lecture, 1988 **227**
Latex agglutination test kits for serum myoglobin in exclusion of myocardial infarction, comparison of two **254**
LAWSON N, HUSBAND D, McGUIGAN J, WATSON DCT, COLLINS FJ and PANDOV HI: Increased levels of vaccenic acid in bronchogenic carcinoma tissue **125**
LEE HA *see* JACKSON JM *et al.*
LEGG EF: The on-call service: a regional survey **19**
LESLIE RDG *see* HAMMER MR *et al.*
LESTER E: The clinical value of glycated haemoglobin and glycated plasma proteins: review article **213**
LEUNG FY and HENDERSON AR: A computer program for rapid generation of receiver operating characteristic curves and likelihood ratios in the evaluation of diagnostic tests: correspondence reply **210**
see also PELLAR TG *et al.*
LEWIS HM *see* WILKINS MR *et al.*
Light scattering intensity and erythrocyte size histograms, effects of sphering: correspondence **457**

LILLEYMAN JS: Budget management of National Health Service pathology laboratories: personal view **309**
Lipid analyses, biological variation in data **281**
Lipoprotein, very low-density, manganese-heparin precipitation: short report **289**
LISSENS W *see* VAN DEUN A *et al.*
LITTLEY M *see* GIBSON S *et al.*
LIU PKS *see* EDWARDS P *et al.*
Liver
  disease, alpha-1-antitrypsin **122**
  function tests, standard, role in current clinical practice: review article **463**
  serum enzyme levels, effect of body mass and other factors **393**
LLOYD B *see* FAIRRIS GM *et al.*
LOH SH: Diluted glucose oxidase reagents adapted for use with Analox GM 7 Analyser for measuring plasma glucose: technical note **453**
LORD A *see* CROTHERS DC and LORD A

McCANCE DR, CLARKE KC and KENNEDY L: Serum fructosamine in uraemia, myeloma and acute inflammatory disorders—relationship to serum glucose and albumin levels **63**
McCONWAY MG, BELL MA and CHAPMAN RS: Automation of solid-phase radioimmunoassays for prolactin, luteinising hormone and follicle-stimulating hormone using Dynospheres[R] and the Kemtek 3300: short report **292**
MACFAUL R *see* ISMAIL AAA *et al.*
McGUIGAN J *see* LAWSON N *et al.*
MACKENZIE F *see* BULLOCK DG *et al.*
McKENZIE K, WATSON ID and STEWART MJ: Comparison of microscale ultracentrifugation and equilibrium dialysis for the determination of the unbound fraction of theophylline in human serum **185**
McKILLOP JH *see* WILSON R *et al.*
McNAMARA L *see* DERMAN DP *et al.*
McNAUGHT J *see* SMITH LA *et al.*
MacPHAIL AP *see* DERMAN DP *et al.*
Macroamylasaemia detection, and differentiation of elevated serum amylase, comparison of methods **422**
Magnesium, erythrocyte and plasma status in diabetes mellitus, Nigeria **74**
MAGUIRE GA and ADNAN H: An immunoprecipitation assay for high molecular weight alkaline phosphatase in human serum **151**
  and STANDING SJ: Unistep bottles containing haemolysing reagent for HbA_1 measurement by electroendosmosis: short report **203**
MAHDI EM-A EL *see* EL MAHDI EM-A
MARKS V *see* GAMA R and MARKS V
  GAMA R *et al.*
  LABIB M *et al.*
MAYNE PD *see* HANCOCK MR *et al.*
  KOVAR IZ and MAYNE PD
MEULEN J VD *see* VD MEULEN J
MIDGLEY JEM: Deprecating the diagnostic significance of free thyroxine levels in human serum: correspondence **208**
MINAMI Y *see* ABE F *et al.*
MIYAMOTO N *see* ABE F *et al.*
Monoclonal antibodies
  radioiodination for therapy **244**
  radioimmunoassay of human pancreatic amylase **416**
MOODY AP, BERG JD and BUCKLEY BM: Improved second-derivative spectrophotometric determination of carboxyhaemoglobin: short report **451**
Morphine and its major metabolites, levels, influence of blood sample preparation **182**
MUIRHEAD RA and DODD HEJ: Manganese-heparin precipitation of very low-density lipoprotein: screening for type III hyperlipoproteinaemia: short report **289**
MULDER C *see* VAN KAMP GH *et al.*
Multiple sclerosis, oligoclonal bands and IgG index, uses and limitations **317**
MURACHI T *see* IKEMOTO M *et al.*
Muscle disease, biochemical investigation: review article **472**
MUTAIRY AR AL- *see* AL-ALI, AK *et al.*
Myeloma, serum fructosamine **63**
Myocardial infarction
  aspartate aminotransferase activity after, decision thresholds and likelihood ratios, computer method **533**
  serum creatine kinase slope measurement: short report **558**
  two latex agglutination test kits compared for serum myoglobin **254**
Myoglobin, serum, in exclusion of myocardial infarction two latex agglutination test kits compared **254**

NAIK SS *see* YAJNIK CS *et al.*
NAKAMURA S-I *see* KOBAYASHI T *et al.*
National Health Service pathology laboratories, budget management: personal view **309**
Nephrotic syndrome, proteinuria selectivity index, Saudi children **492**
Neuroblastoma and catecholamines: correspondence **456**
NEWMAN DJ *see* ASHBY JP *et al.*
NICHOLSON NA, KARABUS CD and KELIN M: Reduction of neonatal blood eliminates the error induced by oxygen saturation in the spectrophotometric measurement of carboxyhaemoglobin: correspondence reply **208**
Nitroblue tetrazolium reduction by 1-deoxy-1-morpholinofructose, effect of albumin and detergent **496**
Noradrenaline, serum, is composed of plasma and platelet noradrenaline: short report **191**

Obesity, hyperinsulinaemia, caused by reduced pancreatic secretion or increased hepatic extraction **388**
Observer variance in reporting of faecal occult blood results using Okokit II[TM] method: short report **296**
OGATA K *see* FUJITA C *et al.*
O'GORMON P *see* RUTTY G *et al.*
OHBOSHI C *see* YOSHIMOTO S *et al.*
Okokit II[TM] method for faecal occult blood results, observer variance in reporting: short report **296**
O'LEARY TD and LANGTON SR: Effect on biochemical parameters of blood collected into heparinised syringes: technical note **106**
Oligoclonal bands and IgG index in multiple sclerosis, uses and limitations **317**

OLUBUYIDE IO, BROWN NM, HIGGINSON J and WHICHER JT: The value of C-reactive protein in the diagnosis of intestinal perforation in typhoid fever **246**
OLUKOGA AO, ERASMUS RT and ADEWOYE HO: Erythrocyte and plasma magnesium status in Nigerians with diabetes mellitus **74**
OMAR O ALSAYED- *see* ALSAYED-OMAR O
On-call service, regional survey **19**
Opiates and related drugs, evaluation of six methods for detection **172**
ORNSTEIN L *see* TYCKO DH *et al.*
ORSHOVEN A VAN *see* VAN ORSHOVEN A
OSHIMA I *see* FUJITA C *et al.*
OSREDKAR J, VRHOVEC I, JESENOVEC N, KOCIJANČIČ A and PREŽELJ J: Salivary free testosterone in hirsutism **522**
Osteocalcin
changes after femoral neck fracture **487**
plasma concentration, acute effect of ethanol intake: short report **563**

PALLANCA JE, DENNEY RC and ROSA GA: The automated enzymic assay of D-isocitrate in human urine **78**
Pancreatic
diabetes syndrome, tropical, serum immunoreactive trypsin **69**
isoamylase, and total amylase in serum and urine, considerations from data on biological variation **335**
PANDOV HI and LAWSON N *et al.*
PANOS MZ and WILLIAMS R: Feasibility of a short term severely restricted sodium diet with counselling support **358**
PAPANASTASIOU-DIAMANDIS A, BHAYANA V and DIAMANDIS EP: A simple time-resolved fluoroimmunoassay of total thyroxine in serum **238**
Parathyroid hormone
assays, intact-molecule, comparison of two: short report **376**
as sensitive indicator of deranged calcium homeostasis in vitamin D deficiency **324**
PARR PJ: Probable cefotaxime interference in enzymatic ammonia assay: correspondence reply **462**
PATEL S *see* RUTTY G *et al.*
Pathology laboratories, National Health Service, budget management: personal view **309**
PAWLEY E *see* THOMPSON SP *et al.*
PAYNE RB: Biological variation of serum and urine creatinine and creatinine clearance: correspondence **565**
PEARCE CJ *see* BOSOMWORTH MP and PEARCE CJ
PELLAR TG, GALBRAITH LV, LEUNG FY and HENDERSON AR: A computer program to determine diagnostic decision thresholds and likelihood ratios illustrated with aspartate aminotransferase activities after a myocardial infarction **533**
PERKINS PJ *see* FAIRRIS GM *et al.*
PETRINI C *see* AGUZZI F *et al.*
Phosphate, plasma concentration, lack of effect of overnight storage of heparinised blood at 4°C: short report **300**
PODZORSKI E and WELLS FE
The effect of albumin and detergent on the reduction of NBT by 1-deoxy-1-morpholinofructose **496**
Calibration of the fructosamine assay using albumin solutions glycated *in vitro*: short report **556**
POLLOCK A *see* GIBSON S *et al.*
POPP-SNIJDERS C, GEENEN B and VAN DER HEIJDEN EAP: Serum noradrenaline is composed of plasma and platelet noradrenaline: short report **191**
Porcine thyroid cell bioassay, for assessment of bioactivity of human and bovine thyrotrophin preparations **341**
Porphyrins
faecal, screening: correspondence **455**
urine, regional quality control scheme: short report **189**
Potassium ISFETs, comparison with Radiometer KNA1 and Corning 902 **274**
Preterm infants, plasma alkaline phosphatase activity, postnatal and gestational age, and interpretation: short report **193**
PREŽELJ J *see* OSREDKAR J *et al.*
PROCTOR DG *see* WALTERS EG *et al.*
Protein
electrophoresis, serum, survey 1986, Italy **249**
glycated plasma clinical value: review article **213**
glycated haemoglobin, clinical value: review article **213**
serum changes after abdominal surgery **49**
Proteinuria selectivity index in Saudi children with nephrotic syndrome **492**
Psoriasis, selenium and vitamin E supplements, effects **83**
Pyridoxal phosphate, plasma levels, determination, using modified apotryptophanase assay **158**
Pyruvate interference in aminotransferase assay, importance of close control of reagent pH: short report **447**

Quality control of interpretation, possibility, necessity or threat: personal view III: correspondence **459**
master charts, use in routine laboratory: short report **449**

RABOUINE P *see* SACHS C *et al.*
Radioimmunoassay of human pancreatic amylase with monoclonal antibody **416**
Radioiodination of antibodies for therapy **244**
RAGGATT PR: Duplicates or singletons?—An analysis of the need for replication in immunoassay and a computer program to calculate the distribution of outliers, error rate and the precision profile from assay duplicates **26**
RAINBOW SJ, DAWSON CM and TICKNER TR: Non-extraction HPLC method for the simultaneous measurement of theophylline and caffeine in human serum **527**
RANGANATH L *see* LABIB M *et al.*
RAO A, DIMITROVA S, YADAV G and REAVEY PC: Use of 'quality control master charts' in the routine laboratory: short report **449**
RATCLIFFE JG *see* BULLOCK DG *et al.*
RATNAIKE S *see* DEAM D *et al.*
READER SCJ, DAVISON B, ROBERTSON WR and LAMBERT A: Assessment of the bioactivity of human and bovine thyrotrophin preparations using a porcine thyroid cell bioassay **341**

REAVEY PC *see* RAO A *et al.*
Reflotron analyser accuracy in blood glucose analyses in diabetes: short report **544**
REILLY CP, ADAMEK KJ and WELLBY ML: Critical assessment of the Amerlite free T4 assay **517**
RICÓS C: Analytical goals for imprecision: correspondence **458**
RINSLER MG *see* ASHBY JP *et al.*
RINSLER MG *see* WRIGHT DJ *et al.*
ROBERTSON WR *see* READER SCJ *et al.*
ROBINSON D and WHITEHEAD TP: Effect of body mass and other factors on serum liver enzyme levels in men attending for well population screening **393**
ROSE GA *see* EDWARDS P *et al.*
PALLANCA JE *et al.*
RUTTY G, PATEL S and O'GORMAN P: Application of the regression coefficient to timed serial serum creatine kinase measurements in the early diagnosis of myocardial infarction: short report **558**

SACHS C, CHANEAC M, RABOUINE P, KINDERMANS C and DECHAUX M: Anomalies in pH 7·40 correction in ionised calcium analysers **542**
SAEED BO *see* ATABANI GS *et al.*
Salicylate, positive bias in theophylline assay on Kodak Ektachem DTSC **268**
Salivary free testosterone in hirsutism **522**
Sarcoidosis, serum angiotensin converting enzyme, evaluation: review article **13**
SCHNEIDER JA and DALTON RN: Why the assay of serum cystine by protein precipitation and chromatography should be abandoned: correspondence **305**
SCOTT PH: Plasma lactoferrin levels in newborn preterm infants: effect of infection **412**
Enzyme immunoassay of lactoferrin in newborn term infants: reference values and influence of diet **407**
Selenium and vitamin E supplements, effects in psoriasis **83**
SETH J *see* STEWART PM *et al.*
SHAKESPEARE PG, BALL AJ and SPURR ED: Serum protein chances after abdominal surgery **49**
SHALET S *see* GIBSON S *et al.*
SHEIKH OK EL *see* ABDURRAHMAN MB *et al.*
SHENKIN A *see* TAGGART DP *see et al.*
SHEPHARD MDS *see* HESTER J *et al.*
SHERIFF DS: Erythrocyte glutathione concentration as a measure of oxidant stress in patients undergoing dapsone therapy: short report **199**
SHIMA K *see* ABE F *et al.*
FUSITA C *et al.*
YOSHIMOTO S *et al.*
SHIRAKAWA N *see* ABE F *et al.*
SHORT F *see* LAPWORTH R *et al.*
SIBAI MH AL- *see* AL-ALI MH *et al.*
Sickle cell anaemia, effects of glucose-6-phosphate dehydrogenase deficiency **477**
SIEBERS RWL, BURGESS CD, FLATT A, BEASLEY R and CRANE J: Unsuitability of the human erythrocyte as a model for *in vivo* sodium transport activation by beta$_2$ adrenergic agonists **444**
SIMPSON D, JARVIE DR and HEYWORTH R: An evaluation of six methods for the detection of drugs of abuse in urine **172**
SMITH LA, MCNAUGHT J and HUTCHISON AS: How well do nurses perform blood glucose analyses at the diabetic clinic? An assessment using the Reflotron analyser: short report **544**
SMITH S *see* STEWART PM *et al.*
SMITH SCH *see* THOMPSON JM *et al.*
SNIJDERS C POPP- *see* POPP-SNIJDERS C
Sodium diet, severely restricted, short term, feasibility with counselling support **358**
Solid-phase radioimmunoassay automation for prolactin luteinising hormone and follicle-stimulating hormone using Dynospheres® and Kemtek 3300: short report **292**
SOONS JBJ *see* BARTELS PC *et al.*
SORBO B: A simple method for determination of plasma thiocyanate: correspondence reply **303**
SOUTHGATE J *see* LABIB M *et al.*
Sphering effects on erythrocyte size determinations using light scattering intensity: correspondence **457**
SPURR ED *see* SHAKESPEARE PG *et al.*
STANDING SJ *see* MAGUIRE GA and STANDING SJ
Steroid replacement therapy in congenital adrenal hyperplasia, bloodspot androstenedione assay for home-monitoring **262**
STEVENS JF: A regional quality control scheme for urine porphyrins: short report **189**
STEWART MJ: Quality control of interpretation—possibility, necessity or threat?: personal view **111**
and FRASER CG: Desirable performance standards for assays of drugs: review article **220**
see also MCKENZIE K *et al.*
STEWART PM, SMITH S, SETH J, STEWART SE, COLE D and EDWARDS CRW: Normal growth hormone response to the 75 g oral glucose tolerance test measured by immunoradiometric assay: short report **205**
STEWART SE *see* STEWART PM *et al.*
STOTT RAW *see* WILKINS MR *et al.*
STUDDY PR and BIRD R: Serum angiotensin converting enzyme in sarcoidosis—its value in present clinical practice: review article **13**
Sweat sodium results interpretation, effect of age **38**

TABATA M *see* IKEMOTO M *et al.*
TAGGART DP, FRASER WD, FELL GS, WHEATLEY DJ and SHENKIN A: Plasma albumin and haemodilution: the problem of interpretation in sequential studies **132**
TALBOT ST *see* JACKSON JM *et al.*
TAN CIT, KLOPPENBORG PWC and BENRAAD THJ: Influence of age, posture and intra-individual variation on plasma levels of atrial natriuretic peptide **481**
TAYLOR AJ *see* COYLE SJ *et al.*
TEALE D *see* LABIB M *et al.*
TEALE JD *see* GAMA R *et al.*
Testosterone, serum measurement in infancy, diagnostic value, two case reports **259**
Theophylline
assay on Kodak Ektachem DTSC **268**
and caffeine in human serum, non-extraction HPLC method for simultaneous measurement **527**
determination, microscale ultracentrifugation, compared with equilibrium dialysis **185**
Thiocyanate, plasma, simple method for determination: correspondence **303**

THOMPSON JM, EMMETT C, SMITH SCH, CRAMB R and HUTTON P: Comparison of potassium ISFETs with the Radiometer KNA1 and the Corning 902 ion selective electrode analysers for whole blood potassium ion estimation **274**
THOMPSON SP, WHITE DA, HOSKING DJ, WILTON TJ and PAWLEY E: Changes in osteocalcin after femoral neck fracture **487**
THOMSON JA *see* WILSON R *et al.*
THOMSON S *see* EGAN SM *et al.*
Thyroglobulin, serum, its measurement and clinical use **401**
Thyrometabolic status, analytical goals for quantities used to assess: review article **1**
Thyrotrophin
antibody interference in two-site immunometric assay **346**
assays, sensitive, analytical and clinical evaluation of three **508**
preparations, human and bovine, assessment of bioactivity using porcine thyroid cell bioassay **341**
Thyroxine
free, assay, Amerlite critical assessment **517**
levels in human serum, deprecating diagnostic significance: correspondence **208**
total, in serum, fluoroimmunoassay **238**
TICKNER TR *see* DAWSON CM *et al.*
RAINBOW SJ *et al.*
TOTANI M *see* IKEMOTO M *et al.*
Triglyceride stability in whole blood: short report **197**
Tri-iodothyronine, serum free, as test for hypothyroidism **233**
Tropical pancreatic diabetes syndrome, serum immunoreactive trypsin **69**
TURNBULL DM and BINDOFF LA: Biochemical investigation of muscle disease: review article **472**
TURNELL DC, COOPER JDC, GREEN B and WRIGHT DJ: Why the assay of serum cystine by protein precipitation and chromatography should be abandoned: correspondence reply **305**
see also GREEN B *et al.*
TURNER P *see* HOSKIN PJ *et al.*
TYCKO DH, ORNSTEIN L and GRONER W: Some effects on light scattering intensity and red blood cell size histograms due to sphering: correspondence **457**
Typhoid fever, intestinal perforation, C-reactive protein value in diagnosis **246**

UEDA T *see* ABE F *et al.*
Unistep bottles containing haemolysing reagent for HbA_1 measurement by electroendosmosis: short report **203**
Uraemia, serum fructosamine **63**

Vaccenic acid, increased levels in bronchogenic carcinoma tissue **125**
VAN BEZU JSM *see* VAN KAMP GJ *et al.*
VAN DER HEIJDEN EAP *see* POPP-SNIJDERS C *et al.*
VAN DEUN A, COBBAERT C, VAN ORSHOVEN A, CLAEYS G and LISSENS W: Comparison of some recent methods for the differentiation of elevated serum amylase and the detection of macroamylasaemia **422**
VAN KAMP GJ, VAN BEZU JSM and MULDER C: A rapid and sensitive immunosorbent assay for urinary albumin **427**
VAN ORSHOVEN A *see* VAN DEUN A *et al.*
VAN'T HOFF W *see* BICKNELL EJ and VAN'T HOFF W
VD MEULEN J *see* KOUW PM *et al.*
VEER GVDS *see* BONTE HA *et al.*
VERHEUGT FWA *see* KONINGS CH *et al.*
VERMES I *see* BONTE HA *et al.*
VIRDI NK and WORTHINGTON DJ: Cholesterol and triglyceride stability in whole blood: short report **197**
Vitamin D deficiency, intact PTH as sensitive indicator of deranged calcium homeostasis **324**
Vitamin E and selenium supplements, effects in psoriasis **83**
VRHOVEC I *see* OSREDKAR J *et al.*
VRIES PJMJ DE *see* DE VRIES PJMJ

WALKER BE *see* GOODE HF *et al.*
WALKER PL *see* ISMAIL AAA *et al.*
WALLACE AM *see* EGAN SM *et al.*
WALMSLEY RN *see* HESTER J *et al.*
WALTERS EG, PROCTOR DG, ELDER GH and WALTERS G: Urinary excretion of HMMA in children **44**
WALTERS G *see* WALTERS EG *et al.*
WATERSON MJ: Is freeze-dried serum suitable for interlaboratory standardisation of fructose assays?: correspondence **304**
WATSON DCT *see* LAWSON N *et al.*
WATSON ID *see* McKENZIE K *et al.*
WELLBY ML *see* REILLY CP *et al.*
WELLS FE *see* PODZORSKI E and WELLS FE
WESTWOOD A *see* KIRK JM and WESTWOOD A
WHEATLEY DJ *see* TAGGART DP *et al.*
WHICHER JT *see* OLUBUYIDE IO *et al.*
WHITE A *see* GIBSON S *et al.*
WHITE A *see* DOBSON SH *et al.*
GIBSON S *et al.*
WHITE DA *see* THOMPSON SP *et al.*
WHITE GH *see* BLIGHT LF *et al.*
HESTER J *et al.*
WHITEHEAD TP *see* ROBINSON D and WHITEHEAD TP
WILKINS MR, STOTT RAW and LEWIS HM: Atrial natriuretic factor: review article **115**
WILLIAMS R *see* PANOS MZ and WILLIAMS R
WILLIAMSON J, DAVIDSON DF and BOAG DE: Contamination of a specimen with N-acetyl cysteine infusion: a cause of spurious ketonaemia and hyperglycaemia: short report **207**
see also DAVIDSON DF *et al.*
WILSON R, McKILLOP JH, JENKINS C, BEASTALL GH and THOMSON JA: Serum thyroglobulin—its measurement and clinical use **401**
WILTON TJ *see* THOMPSON SP *et al.*
WOOD PJ *see* EGAN SM *et al.*
EVANS AJ and WOOD PJ
WORTHINGTON DJ and HAMMOND EM: Neuroblastoma and catecholamines: correspondence reply **457**
see also BROUGHTON PMG and WORTHINGTON DJ
VIRDI NK AND WORTHINGTON DJ
WRIGHT DJ, BIDDULPH L and RINSLER MG: Serum albumin and the specificity of free tri-iodothyronine as a test for hypothyroidism **233**
see also TURNELL DC *et al.*

WROE SJ *see* GILES PD *et al.*

YADAV G *see* RAO A *et al.*
YAJNIK CS, KATRAK A, KANITKAR SV, NAIK SS, D'SOUZA V and DANDONA P: Serum immunoreactive trypsin in tropical pancreatic diabetes syndrome **69**
YAMAMURA H *see* KOBAYASHI T *et al.*
YANO M *see* ABE F *et al.*
YOSHIMOTO S, HIROTA M, OHBOSHI C and SHIMA K: Identification of glucagon-like peptide-1 (7–36) amide in rat brain **169**

Zinc
absorption in haemodialysis: correspondence **455**
concentrations in pure populations of peripheral blood neutrophils, lymphocytes and monocytes **89**
protoporphyrin: haemoglobin ratio: interference of plasma fluorophores **368**